

APPARETL DE LEVAGE CONDITION DE VERIFICATION

HOSTING DEVICE CHECKING CONDITIONS

UN CERTIFICAT DE CONFORMITE AUX NORMES DES APPAREILS DE LEVAGE DEVRA ETRE OBLIGATOIREMENT JOINT A CHAQUE OUTILLAGE. CE CERTIFICAT SERA DELIVRE PAR UN ORGANISME AGREE.

A CERTIFICATE OF COMPLIANCE TO THE HOISTING-DEVICE STANDARDS MUST BE ATTACHED COMPULSORILY TO EACH TOOL THE CERTIFICATE SHALL BE ISSUED BY AN APPROVED ORGANIZATION.

> EN STATIQUE: STATISTICALLY:

 $F = 50 \times 1,5 = 75 \text{ daN}$



CONSIGNES GENERALES GENERAL REGULATIONS

PORTER LES EQUIPEMENTS INDIVIDUELS DE SECURITE WEAR INDIVIDUAL SAFETY EQUIPMENT

NE PAS UTILISER L'OUTILLAGE HORS DE SA PERIODE DE VALIDITE DO NOT USE A TOOL BEYOND ITS VALIDITY DATE

ANANT UTILISATION :

Acres 4

VERIFIER QUE LA REFERENCE DE L'OUTILLAGE CORRESPONDE A LA TACHE A REALISER VERIFIER VISUELLEMENT L'ETAT GENERAL DE L'OUTILLAGE (USURES, FISSURES,

PIECES MANQUANTES, ...) PRENDRE CONNAISSANCE DU PROCESS D'UTILISATION DE L'OUTILLAGE (VOIR NOTA B)

BEFORE USE MAKE SURE THE TOOL PIN AGREES WITH THE TASK TO BE DONE

DO A VISUAL INSPECTION OF THE TOOL GENERAL CONDITION (WEAR,

CRACKS, MISSING PARTS, ...)

READ THE USE PROCESS OF THE TOOL (REFER TO NOTE B)

APRES UTILISATION, VERIFIER VISUELLEMENT L'ETAT DE L'OUTILLAGE :

SILDRATION, VERTICEN VISUELLES ANOMALIES
SI CORRECT: SIGNALER LES ANOMALIES
SI CORRECT: SIGNALER LES ANOMALIES
AFTER USE, DO A VISUAL INSPECTION OF THE TOOL CONDITION:

IF DAMAGED : REPORT THE ANOMALIES
IF CORRECT : STORE THE TOOL IN AN APPROPRIATE, SAFE AREA

MODIFICATIONS

AJOUTE NOTA "CONSIGNES GENERALES ET TRADUCTION EN ANGLAIS ADDED NOTE "GENERAL REGULATIONS" AND TRANSLATION INTO ENGLISH

MODIFIE REP.001-002 + AJOUTE REP.006-007-008

MODIFIED IT.001-002 + ADDED IT.006-007-007 MODIFIE F = 50 x 1.33 --> F = 50 x 1.5 = 75 daN MODIFIED F = 50 x 1.33 --> F = 50 x 1.5 = 75 daN MODIFIED: F = 50 x 1.33 --> F = 50 x 1.5 = 75 daN MODIFIED F = 705.005.007 / USB H M12.25 FT M10.18 -> M12.20 FT M10.18 MODIFIED IT DOS-DOG-DO7 / SCREW H MT2-25 AND MTD-18 --> MT2-20 AND MTG-18 MODIFIE REP.001-002-006 / AJOUTE REP.000-010 / AJOUTE PL03 MODIFIE ROTAS MODIFIED 17.001-002-006 / ADDED 17.009-010 / ADDED PLOS

MODBEE DEP ON MODIFIED IT. 001

MOORER DEP ORG MODIFIED IT.006 MISE A JOUR DPDATE

A JOJUTE TABLEAU SUIVI PERIODIOUE ADDED TABLE OF SCHEDULED FOLLOW-UP 12

INDEX

B

ALL DIMENSIONS ARE IN MILLIMETERS

MASSE DE L'OUTILLAGE: 2.25Kg TOOL WEIGHT: 2.25Kg

- MARQUAGE CARACTERES HAUTEUR = 6 mm PAR FRAPPE DU GRAVURE ZONE DE MARQUAGE DE LA REFERÊNCE OUTILLAGE.
- PESER L'OUTILLAGE POUR MARQUAGE DE LA CHARGE A VIDE.

- ENGRAVING CHARACTERS HEIGHT = 6 mm BY PUNCHING OR ENGRAVING
- MARKING AREA OF THE TOOL PIN
- WEIGH THE TOOL TO INDICATE THE ZERO LOAD

NOTA 2:

REP.007-008 : MONTES COLLES A LA LOCTITE FREIN FILET FORT 270

NOTE 2:

- IT.007-008 : INSTALLED BONDED WITH HIGH THREAD LOCK LOCTITE 270


NOTA 3:


IMMOBILISER REP.004-005 PAR REP.009 EN ASSURANT UN JEU (0.2) ENTRE REP.006 SUR REP.001

IT.004 AND 005 LOCKED BY IT.009 BY MAKING A CLEARANCE (0.2) BETWEEN IT.006 ON IT.001

LISTE DES CARACTERISTIQUES AVEC SUIVI PERIODIQUE LIST OF CHARACTERISTICS WITH SCHEDULED FOLLOW-UP N° PLANCHE LOCALISATION SHEET N° LOCATION NOMINAL NOMINAL 75 dall 1/5

_									4	
	- 1		-							
-	_	_				- 1	\rightarrow		+	
*										
						-		-	1	
									4	
2	010	1		TE D'IDENTIFICAT CATION PLATE	TION	TM		881 5 099 842		
-	000	. 1		CYLINDRIQUE Ø		NLM		03320-03x30	E	
	008	-1	ECROU H	the state of the s		STD			1	
			NUT H M	10				4		
÷	007	.1	VIS H M10 SCREW H			STD				
5	006	1	BRAS			ENS. SO WELDED AS		VOIR DETAIL	-	
	005	- 1	VIS H M12			STD			1	
-	004	1	SCREW H	DE LEVAGE FEMI	11 F M12	NUM	-	07690-12	+	
7	004			OISTING RING						
. 003 2			VIS STRIE	E M8-25	NUN	0	06090-06x25			
			-	H STRAIGHT-LINE	NNUMES MS-25				4	
5	002	2	PLAQUET PLATE	TE		25 CD	4	R:900-1050 MPa	II.	
3/4	001	1	ETRIER		ENS. SOUDE		VOIR DETAIL	1		
200	(777)		STIANUP			WELDED AS	SEMBLY	REFER TO DETAIL	L.	
PL SN	REP	QUANT	DESI	GNATION / DESI	CRIPTION	MATIE		Observations Comments	1	
_	-	CHISCHAR		MERRIE PAR ACCIDING MY		W DEN DERBOYS		1 DOUMECO		
	9	SERM	(RD)	B. ESCOULA		ST2100	o As ree	DATE: 03/05/07		
	5 Twent	LE 18	03/2005					H DOUMECO		
	5 5	ARRE	E) ENGINE	MOTEUR COMPLET		Nº PRECET PART AUMEDIA		G ESCOULA		
IA N		100168	OTES VERGIONS THE SMEAN				0 292 00 517 0		4	
A NO DERIO			NATION OUT	LLAGE				DATE: 25/09/00	1	
SOUTH AND A CONTROL OF THE STATE OF THE PRICE OF THE PRIC								E LIBIOR	-	
								DATE: 10/01/06	9	
	logicie CATL			0 051/10	_			E ESCOULA	4	
	2 0	LI	FIIN	G DEVIC	Ł			DATE: 16/03/05	1	
	D 4	CE DES	SIN EST LAP	ROPRIETI DE LA SOCI	ETE TURBOMECA	IL NE PEUT E	test	D JESCOULA	+	
GOMMANGUE OU REPRODUCT SANS SON AUTORISATION THIS DEARLING IS THE PROPERTY OF THE AND MAY NOT BE CO								DATE BYIGHTIG	3.	
	E 5						CONTED		-	
	and and	COMM	RICATED H	ITHOUT EXPRESS	ADIMONICATIO	-		DATE: 24/04/9	7	
	is in		ELLE	(Turb	omeca	CODE FABRICA WARRY ACTURE	W CODE	В Голонет	-	
	0 D	50	ALE /1	O luib	Dillicon			DATE: 21/1088	1	
	in the	,	, ,		COLUMN TO THE PERSON TO THE PE		-	A FOUCHET	-	
- 5	Plan de Drawing	1	ch SI		000 0	00	PLANCH		0.	
	à		1			00 1/5				
			- 1	1	meson and	107-277	1/4	DATE: 16/03/8	0	







VUE PARTIELLE SUIVANT 2 PARTIAL VIEW AS PER 2 DETAIL REP.D

DETAIL IT.D

2 TROUS ØB, 2 DBT
A CONTREPERCER AVEC REP.A
APRES EXECUTION DES SOUDURES
2 THROUGH HOLES ØB.2
7 DBC COUNTER-DRILLED WITH IT.A
AFTER WELDING OPERATION

1 - 1 ECHELLE : 2:1 SCALE : 2:1





CE DETAIL COMPREND 2 PLANCHES THIS DETAIL INCLUDES 2 SHEETS

-	TDIED	VOIR TABLEAU		DETHADE I MACHENTA		FEHELLI	SERM			
ETRIER		ENS, SOUDE		VVV		1/1	18/03/2005			
0.7	IRRUP	REFER TO TABLE WELDED ASSEMBLY		881 3 988 001		01	ENDE			
01	INNUF			0013900001			Н			
ave	DESIDE PAR PRABY BY: SERM (RD) LE 18/03/2005	APPROVED BY: B. ESCOULA	BY: INCLUMING TAILON OF DISABONCS AS PRIF							
Plan dessine à faide du logiciel CATIA V5 awing Drawn with CATIA V5 softwar	MICHINE / ENGINE ARREL 1 FOUTES VERSIONS	DERIGNATION PRICE: PART BESCRIPTION IN PRICE: PART NUMBER. MOTEUR COMPLET 104. RESEARCH 105. RESEARC								
	OUTILLAGE DE LEVAGE									
	LIFTING DEVICE									
	CE DEBBNEST LA PROPRIETE DE LA SCOETE TURBOMECA, E. NE PEUT ETRE COMMUNIQUE COI REPROCNIT DIANS SON AUTORISATION THIS DIANKING IS THE PROPERTY OF THE AND MAY NOT BE COPIED OR COMMUNICATED WITHOUT EXPRESS AUTHORIZATION									
ndessin ing Dri	ECHELLE SCALE Concept AMERICAN TREAM SAME ACTURES CORE									
Plan	€ ⊕ FORM 517 A	# QQ1 3	988	3 00		4				
	10	•		11		-	12			

